

DIGITAL WALLCOVERINGS

EASY REFERENCE GUIDE



ANTALIS DIGITAL WALLCOVERINGS EASY REFERENCE GUIDE



GRAHAM & BROWN
EST. 1946

ANTALIS DIGITAL WALLCOVERINGS WILL TRANSFORM ANY INTERIOR; FROM HOMES, OFFICES, BOARDROOMS AND RECEPTIONS, THROUGH TO SHOP DISPLAYS, HOTELS AND RESTAURANTS. AVAILABLE IN A WIDE VARIETY OF CREATIVE EMBOSSINGS, FINISHES & APPLICATION TYPES, THE ANTALIS RANGE WILL HELP YOU TO CREATE PERSONALISED, CREATIVE AND INSPIRING INTERIORS.

Compatible with most digital inkjet printing technologies, our range is ideal for achieving a high degree of authenticity in the reproduction of paintings, photographs and graphics; meeting the highest requirements for fire resistance, light fastness and washability and also available with an anti-bacterial coating for more sensitive environments such as hospitals.

Perfect for customising & personalising any interior environment in the Commercial (contract) & Residential markets.

CONTRACT WALLCOVERINGS

- Wide variety of creative finishes available
- Easy to apply and to remove, allowing graphics and branding to be refreshed regularly
- Durable, hard wearing and washable
- Meets fire resistance requirements for public spaces
- Anti-bacterial coating also available

Suitable for

Cafes
Bars
Shops
Hospitals
Office Receptions, Boardrooms
Airport Lounges
Football hospitality

RESIDENTIAL WALLCOVERINGS

- Personalise home environments
- Wide variety of creative embossings available
- Easy to apply, durable and washable

Suitable for

Living rooms
Bedrooms
Bathrooms
Bespoke Interiors
Feature Walls

WALLCOVERING APPLICATION TYPES

PASTE THE PAPER

AVAILABLE PRODUCTS:

Coala Walldesign P – Paper Backed

- Cost Effective
- Suitable for long term home décor installations
- Available in a range of creative embossings
- Durable & Washable



PASTE THE WALL

AVAILABLE PRODUCTS:

Coala Walldesign NW/ Graham & Brown NW – Non Woven Textile Backed

- Quick to apply and easy to remove, comes off the wall in one piece
- Suitable for hard wearing residential and commercial environments
- Available in a range of creative embossings



PRE-PASTED

AVAILABLE PRODUCTS:

Coala Walldesign P – Paper Back Pre-pasted

- Quick to apply with no mess
- Immerse in water and apply to the wall
- Ideal for changeable wallcoverings



COALA WALLDESIGN WALLCOVERINGS

If you're looking for a way to create a personalised, creative and inspiring interior, Coala Walldesign Wallcoverings will transform any space; from homes, offices, boardrooms and receptions, through to shop displays and restaurants.

COALA WALLDESIGN P – Paste the paper

Available in a range of embossings and thicknesses, designed to offer an economical and easy way to personalise an environment. Our heavy weight and robust vinyl embossings are ideal for semi-permanent applications onto smooth and flat walls. On removal, the paper is strippable allowing the vinyl coating to pull away from the paper base which is left as a wall liner. If a full removal is required then we also have a non-woven (NW) variety available.



COALA WALLDESIGN NW – Paste the wall

Simply apply a heavy duty paste directly onto the wall with a roller and position the wallcovering directly onto it (saves up to 40% application time over conventional paper backed wallcoverings).

Available in a range of thicknesses and creative embossings making it suitable for applications such as trade shows, hospitality and retail. A non-woven base allows the wallcovering to be removed quickly and easily in one piece, ideal for environments where the imagery and message is required to be changed regularly.



COALA WALLDESIGN P – Pre-pasted

Adhesive is pre-coated and activated by immersing it into a water bath for 15 seconds. This is the quick, easy, no-mess solution when applying wallcoverings (saves up to 40% application time over conventional paper backed wallcoverings).

Available in a standard matt satin finish this product re-produces vibrant images. The pre-coated adhesive layer requires the surface to be smooth, flat and primed.



*It is recommended to prime porous walls before application

GRAHAM & BROWN

EST. 1946

In 1946, two friends took foresight and friendship and began a wallpaper revolution. Graham & Brown has led the way in wallpaper innovation, from making the process 'easy' with 'paste the wall' technology to partnering with world famous interior designers.



DIGITAL WALLCOVERING

With nearly 70 years experience in making wallcoverings, Graham & Brown saw the need to develop a media product that was right for the digital print market.

Using cutting edge paste the wall technology, Graham & Brown's FSC non woven substrate can be easily applied and is a seamless solution for large scale graphic wall installations.

Both products are best applied using specially formulated digital base adhesive and are approved for use on many digital printing machines including, HP, Canon OCE, Mimaki and Roland.

These digital wallcovering bases have been manufactured exclusively for antalis.



DIGITAL PVC BASE

Technical Specification

- Hard wearing product
- Produced on FSC Non-Woven
- 275gsm
- Conforms to EN 15102
- 1060mm x 50m

DIGITAL NON PVC BASE

Technical Specification

- Water-based non PVC
- Produced on FSC Non-Woven
- 185gsm
- Conforms to EN 15102
- 1060mm x 50m

DIGITAL BASE ADHESIVE

Technical Specification

- Resistant to moisture and heat
- Protects against mould
- Extra strong formula
- 5l covers 25 sq mtrs of digital base
- Suitable for all brands of wallcovering

ANTALIS DIGITAL WALLCOVERINGS

WALLDESIGN PRE-PASTED	PART NUMBER	WEIGHT (g)	WIDTH (mm)	LENGTH (M)	PRODUCT TYPE
COALA WALLDESIGN P PRE-PASTED	82814	170	1372	45.7	Pre-pasted paper
COALA WALLDESIGN GLASS FIBER EMBOSSED PRE-PASTED	TBA	330	1000	30.5	Pre-pasted glass fibre

WALLDESIGN PASTE THE PAPER	PART NUMBER	WEIGHT (g)	WIDTH (mm)	LENGTH (M)	PRODUCT TYPE
COALA WALLDESIGN P SMOOTH MATT	82835	300	1372	30	Paper base with vinyl coating
COALA WALLDESIGN P SAND	82833	300	1372	30	Paper base with vinyl coating
COALA WALLDESIGN P FINE SAND	82834	300	1372	30	Paper base with vinyl coating
COALA WALLDESIGN P CANVAS	82857	300	1372	30	Paper base with vinyl coating
COALA WALLDESIGN P STUCCO	82861	300	1372	30	Paper base with vinyl coating
COALA WALLDESIGN P FINE CANVAS	TBA	300	1372	30	Paper base with vinyl coating
COALA WALLDESIGN P PLASTER	TBA	300	1372	30	Paper base with vinyl coating
COALA WALLDESIGN P LEATHER	TBA	300	1373	30	Paper base with vinyl coating
COALA WALLDESIGN P BRUSH	TBA	300	1372	30	Paper base with vinyl coating

WALLDESIGN PASTE THE WALL	PART NUMBER	WEIGHT (g)	WIDTH (mm)	LENGTH (M)	PRODUCT TYPE
COALA WALLDESIGN NW UV/LX	82810	150	1372	50	Non woven base Uncoated
COALA WALLDESIGN NW S	82811	150	1372	50	Non woven base coated
COALA WALLDESIGN NW SAND	82863	350	1372	30	Non woven base with vinyl coating
COALA WALLDESIGN NW SMOOTH MATT	82867	350	1372	30	Non woven base with vinyl coating
COALA WALLDESIGN NW FINE SAND	82864	350	1372	30	Non woven base with vinyl coating
COALA WALLDESIGN NW CANVAS	TBA	350	1372	30	Non woven base with vinyl coating
COALA WALLDESIGN NW FINE CANVAS	TBA	350	1372	30	Non woven base with vinyl coating
COALA WALLDESIGN NW STUCCO	TBA	350	1372	30	Non woven base with vinyl coating
COALA WALLDESIGN NW PLASTER	TBA	350	1372	30	Non woven base with vinyl coating
COALA WALLDESIGN NW LEATHER	TBA	350	1372	30	Non woven base with vinyl coating
COALA WALLDESIGN NW BRUSH	TBA	350	1372	30	Non woven base with vinyl coating
COALA WALLDESIGN GLASS FIBER EMBOSSED	TBA	300	1000	30.5	Glass fibre

GRAHAM & BROWN PASTE THE WALL	PART NUMBER	WEIGHT (g)	WIDTH (mm)	LENGTH (M)	PRODUCT TYPE
GRAHAM & BROWN NW DIGITAL BASE	48130	275	1060	50	Non woven base with vinyl coating
GRAHAM & BROWN NW AQUAMURA SMOOTH	48131	185	1060	50	Non woven base with vinyl coating
GRAHAM & BROWN DIGITAL BASE ADHESIVE 5L	48234	5L			Pre-mixed PVA

APPLICATION	PRINT TYPE*	PVC FREE	FSC	DIN 4102-1	NF P92-501	EN 13501-1	IMO MARINE	ANTI BACTERIAL
Quick & clean installation on to well prepared home & office walls.	UV / LX	Y	N	N	N	N	N	N
Reinforces, covers & supports structural renovation imperfections.	UV / LX / S	Y	N	TBD	TBD	TBD	TBD	N

APPLICATION	PRINT TYPE*	PVC FREE	FSC	DIN 4102-1	NF P92-501	EN 13501-1	IMO MARINE	ANTI BACTERIAL
Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N

APPLICATION	PRINT TYPE*	PVC FREE	FSC	DIN 4102-1	NF P92-501	EN 13501-1	IMO MARINE	ANTI BACTERIAL
Easy to apply & to remove ideal for trade show & short term graphic.	UV / LX	Y	N	N	N	N	N	N
Easy to apply & to remove ideal for trade show & short term graphic.	UV / LX / S	Y	N	N	N	N	N	N
Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 dO	Y	Y
Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 dO	Y	Y
Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 dO	Y	Y
Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 dO	Y	Y
Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 dO	Y	Y
Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 dO	Y	Y
Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 dO	Y	Y
Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 dO	Y	Y
Reinforces, covers & supports structural renovation imperfections.	UV / LX / S	Y	TBD	TBD	TBD	TBD	TBD	TBD

APPLICATION	PRINT TYPE*	PVC FREE	FSC	DIN 4102-1	NF P92-501	EN 13501-1	IMO MARINE	ANTI BACTERIAL
Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	FSC Mix	TBD	TBD	c S1 dO	N	N
Easy to apply & remove. Ideal for retail & commercial use.	UV / LX / S	Y	FSC Mix	TBD	TBD	c S1 dO	N	N
Suitable for paper & non woven.								

Print type:
UV = UV Curable
LX = Latex
S = Eco Solvent / Solvent

DIN 4102-1
NF P92-501
EN 13501-1
IMO

German Fire test to building Classification
French Fire test to building Classification
European Fire test to building Classification
Marine Fire Certification

PRINT

Anglia

Tel: 0370 607 3103
Fax: 0370 607 3158
email: anglia@antalis.co.uk

Midlands

Tel: 0370 607 3106
Fax: 0370 607 3160
email: midlands@antalis.co.uk

North West

Tel: 0370 607 3112
Fax: 0370 607 3166
email: northwest@antalis.co.uk

Northern Ireland

Tel: 02890 847 700
Fax: 02890 847 716
email: belfastsales@antalis.co.uk

Scotland

Tel: 0370 607 3108
Fax: 0370 607 3162
email: scotland@antalis.co.uk

South East

Tel: 0370 607 3143
Fax: 0370 607 3154
email: southeast@antalis.co.uk

South West

Tel: 0370 607 3110
Fax: 0370 607 3164
email: southwest@antalis.co.uk

West

Tel: 0370 607 3102
Fax: 0370 607 3157
email: west@antalis.co.uk

Yorkshire

Tel: 0370 607 3107
Fax: 0370 607 3161
email: yorkshire@antalis.co.uk

REPUBLIC OF IRELAND

Tel: 01 876 3188
Fax: 01 856 7111
email: dublin@antalis.ie

OFFICE SUPPLIES

North

Tel: 0370 607 3136
Fax: 0370 607 3178
email: office.n@antalis.co.uk

South East

Tel: 0370 607 3132
Fax: 0370 607 3171
email: office.se@antalis.co.uk

South West

Tel: 0370 607 3132
Fax: 0370 607 3171
email: office.sw@antalis.co.uk

Consumer

Tel: 0370 243 0645
Fax: 0370 607 3178
email: digital.sales@antalis.co.uk

Antalis Key Accounts

Tel: 01530 571 200
Fax: 01530 517 127
email: keyaccounts@antalis.co.uk

SIGN & DISPLAY

Tel: 01925 868 650
Fax: 01925 868 670
email: signanddisplay@antalis.co.uk

PACKAGING

Tel: 0370 241 1466
Fax: 0370 60 99 889
email: packaging@antalis.co.uk

CUSTOMER SOLUTIONS

Tel: 0203 117 1600
Fax: 0203 117 1601
email: customer_solutions@antalis.co.uk

PAPER DESK

Tel: 0370 600 4400
email: paperdesk@antalis.co.uk

Printed on Cocoon Silk 100 250gsm



The mark of responsible forestry

We market certified products.



October 2015 Part Number 74320

Antalis Limited
Interlink Way West,
Coalville, Leicestershire
LE67 1LE
Tel: 0370 607 9014
Fax: 01530 505 058
email: contact@antalis.co.uk
antalis.co.uk

antalis 
Just ask Antalis