

**PRINT**

Anglia  
Tel: 0370 607 3103  
Fax: 0370 607 3158  
email: anglia@antalis.co.uk

Midlands  
Tel: 0370 607 3106  
Fax: 0370 607 3160  
email: midlands@antalis.co.uk

North West  
Tel: 0370 607 3112  
Fax: 0370 607 3166  
email: northwest@antalis.co.uk

Northern Ireland  
Tel: 02890 847 700  
Fax: 02890 847 716  
email: belfastsales@antalis.co.uk

Scotland  
Tel: 0370 607 3108  
Fax: 0370 607 3162  
email: scotland@antalis.co.uk

South East  
Tel: 0370 607 3143  
Fax: 0370 607 3154  
email: southeast@antalis.co.uk

South West  
Tel: 0370 607 3110  
Fax: 0370 607 3164  
email: southwest@antalis.co.uk

West  
Tel: 0370 607 3102  
Fax: 0370 607 3157  
email: west@antalis.co.uk

Yorkshire  
Tel: 0370 607 3107  
Fax: 0370 607 3161  
email: yorkshire@antalis.co.uk

REPUBLIC OF IRELAND  
Tel: 01 876 3188  
Fax: 01 856 7111  
email: dublin@antalis.ie

**OFFICE SUPPLIES**

North  
Tel: 0370 607 3136  
Fax: 0370 607 3178  
email: office.n@antalis.co.uk

South East  
Tel: 0370 607 3132  
Fax: 0370 607 3171  
email: office.se@antalis.co.uk

South West  
Tel: 0370 607 3132  
Fax: 0370 607 3171  
email: office.sw@antalis.co.uk

Consumer  
Tel: 0370 243 0645  
Fax: 0370 607 3178  
email: digital.sales@antalis.co.uk

Antalis Key Accounts  
Tel: 01530 571 200  
Fax: 01530 517 127  
email: keyaccounts@antalis.co.uk

**SIGN & DISPLAY**  
Tel: 01925 868 650  
Fax: 01925 868 670  
email: signanddisplay@antalis.co.uk

**PACKAGING**  
Tel: 0370 241 1466  
Fax: 0370 60 99 889  
email: packaging@antalis.co.uk

**CUSTOMER SOLUTIONS**  
Tel: 0203 117 1600  
Fax: 0203 117 1601  
email: customer\_solutions@antalis.co.uk

**PAPER DESK**  
Tel: 0370 600 4400  
email: paperdesk@antalis.co.uk

antalis <sup>EM</sup>  
Just ask Antalis

# DIGITAL WALLCOVERINGS

## EASY REFERENCE GUIDE



Printed on Cocoon Silk 100 250gsm



The mark of responsible forestry  
We market certified products.



October 2015 Part Number 74320

Antalis Limited  
Interlink Way West,  
Coalville, Leicestershire  
LE67 1LE  
Tel: 0370 607 9014  
Fax: 01530 505 058  
email: contact@antalis.co.uk  
antalis.co.uk

antalis <sup>EM</sup>  
Just ask Antalis



GRAHAM & BROWN  
EST. 1946

# ANTALIS DIGITAL WALLCOVERINGS EASY REFERENCE GUIDE



**GRAHAM & BROWN**  
EST. 1946

**ANTALIS DIGITAL WALLCOVERINGS WILL TRANSFORM ANY INTERIOR; FROM HOMES, OFFICES, BOARDROOMS AND RECEPTIONS, THROUGH TO SHOP DISPLAYS, HOTELS AND RESTAURANTS. AVAILABLE IN A WIDE VARIETY OF CREATIVE EMBOSSINGS, FINISHES & APPLICATION TYPES, THE ANTALIS RANGE WILL HELP YOU TO CREATE PERSONALISED, CREATIVE AND INSPIRING INTERIORS.**

Compatible with most digital inkjet printing technologies, our range is ideal for achieving a high degree of authenticity in the reproduction of paintings, photographs and graphics; meeting the highest requirements for fire resistance, light fastness and washability and also available with an anti-bacterial coating for more sensitive environments such as hospitals.

Perfect for customising & personalising any interior environment in the Commercial (contract) & Residential markets.

## CONTRACT WALLCOVERINGS

- Wide variety of creative finishes available
- Easy to apply and to remove, allowing graphics and branding to be refreshed regularly
- Durable, hard wearing and washable
- Meets fire resistance requirements for public spaces
- Anti-bacterial coating also available

### Suitable for

Cafes  
Bars  
Shops  
Hospitals  
Office Receptions, Boardrooms  
Airport Lounges  
Football hospitality

## RESIDENTIAL WALLCOVERINGS

- Personalise home environments
- Wide variety of creative embossings available
- Easy to apply, durable and washable

### Suitable for

Living rooms  
Bedrooms  
Bathrooms  
Bespoke Interiors  
Feature Walls

## WALLCOVERING APPLICATION TYPES

### PASTE THE PAPER

**AVAILABLE PRODUCTS:**

#### Coala Walldesign P – Paper Backed

- Cost Effective
- Suitable for long term home décor installations
- Available in a range of creative embossings
- Durable & Washable



### PASTE THE WALL

**AVAILABLE PRODUCTS:**

#### Coala Walldesign NW/ Graham & Brown NW – Non Woven Textile Backed

- Quick to apply and easy to remove, comes off the wall in one piece
- Suitable for hard wearing residential and commercial environments
- Available in a range of creative embossings



### PRE-PASTED

**AVAILABLE PRODUCTS:**

#### Coala Walldesign P – Paper Back Pre-pasted

- Quick to apply with no mess
- Immerse in water and apply to the wall
- Ideal for changeable wallcoverings



# COALA WALLDESIGN WALLCOVERINGS

If you're looking for a way to create a personalised, creative and inspiring interior, Coala Walldesign Wallcoverings will transform any space; from homes, offices, boardrooms and receptions, through to shop displays and restaurants.

## COALA WALLDESIGN P – Paste the paper

Available in a range of embossings and thicknesses, designed to offer an economical and easy way to personalise an environment. Our heavy weight and robust vinyl embossings are ideal for semi-permanent applications onto smooth and flat walls. On removal, the paper is strippable allowing the vinyl coating to pull away from the paper base which is left as a wall liner. If a full removal is required then we also have a non-woven (NW) variety available.



## COALA WALLDESIGN NW – Paste the wall

Simply apply a heavy duty paste directly onto the wall with a roller and position the wallcovering directly onto it (saves up to 40% application time over conventional paper backed wallcoverings).

Available in a range of thicknesses and creative embossings making it suitable for applications such as trade shows, hospitality and retail. A non-woven base allows the wallcovering to be removed quickly and easily in one piece, ideal for environments where the imagery and message is required to be changed regularly.



## COALA WALLDESIGN P – Pre-pasted

Adhesive is pre-coated and activated by immersing it into a water bath for 15 seconds. This is the quick, easy, no-mess solution when applying wallcoverings (saves up to 40% application time over conventional paper backed wallcoverings).

Available in a standard matt satin finish this product re-produces vibrant images. The pre-coated adhesive layer requires the surface to be smooth, flat and primed.



\*It is recommended to prime porous walls before application

# GRAHAM & BROWN

EST. 1946

In 1946, two friends took foresight and friendship and began a wallpaper revolution. Graham & Brown has led the way in wallpaper innovation, from making the process 'easy' with 'paste the wall' technology to partnering with world famous interior designers.



## DIGITAL WALLCOVERING

With nearly 70 years experience in making wallcoverings, Graham & Brown saw the need to develop a media product that was right for the digital print market.

Using cutting edge paste the wall technology, Graham & Brown's FSC non woven substrate can be easily applied and is a seamless solution for large scale graphic wall installations.

Both products are best applied using specially formulated digital base adhesive and are approved for use on many digital printing machines including, HP, Canon OCE, Mimaki and Roland.

These digital wallcovering bases have been manufactured exclusively for antalis.



### DIGITAL PVC BASE

Technical Specification

- Hard wearing product
- Produced on FSC Non-Woven
- 275gsm
- Conforms to EN 15102
- 1060mm x 50m



### DIGITAL NON PVC BASE

Technical Specification

- Water-based non PVC
- Produced on FSC Non-Woven
- 185gsm
- Conforms to EN 15102
- 1060mm x 50m



### DIGITAL BASE ADHESIVE

Technical Specification

- Resistant to moisture and heat
- Protects against mould
- Extra strong formula
- 5l covers 25 sq mtrs of digital base
- Suitable for all brands of wallcovering

## ANTALIS DIGITAL WALLCOVERINGS

WALLDESIGN PRE-PASTED	PART NUMBER	WEIGHT (g)	WIDTH (mm)	LENGTH (M)	PRODUCT TYPE	APPLICATION	PRINT TYPE*	PVC FREE	FSC	DIN 4102-1	NF P92-501	EN 13501-1	IMO MARINE	ANTI BACTERIAL
COALA WALLDESIGN P PRE-PASTED	82814	170	1372	45.7	Pre-pasted paper	Quick & clean installation on to well prepared home & office walls.	UV / LX	Y	N	N	N	N	N	N
COALA WALLDESIGN GLASS FIBER EMBOSSED PRE-PASTED	TBA	330	1000	30.5	Pre-pasted glass fibre	Reinforces, covers & supports structural renovation imperfections.	UV / LX / S	Y	N	TBD	TBD	TBD	TBD	N

WALLDESIGN PASTE THE PAPER	PART NUMBER	WEIGHT (g)	WIDTH (mm)	LENGTH (M)	PRODUCT TYPE	APPLICATION	PRINT TYPE*	PVC FREE	FSC	DIN 4102-1	NF P92-501	EN 13501-1	IMO MARINE	ANTI BACTERIAL
COALA WALLDESIGN P SMOOTH MATT	82835	300	1372	30	Paper base with vinyl coating	Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
COALA WALLDESIGN P SAND	82833	300	1372	30	Paper base with vinyl coating	Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
COALA WALLDESIGN P FINE SAND	82834	300	1372	30	Paper base with vinyl coating	Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
COALA WALLDESIGN P CANVAS	82857	300	1372	30	Paper base with vinyl coating	Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
COALA WALLDESIGN P STUCCO	82861	300	1372	30	Paper base with vinyl coating	Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
COALA WALLDESIGN P FINE CANVAS	TBA	300	1372	30	Paper base with vinyl coating	Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
COALA WALLDESIGN P PLASTER	TBA	300	1372	30	Paper base with vinyl coating	Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
COALA WALLDESIGN P LEATHER	TBA	300	1373	30	Paper base with vinyl coating	Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N
COALA WALLDESIGN P BRUSH	TBA	300	1372	30	Paper base with vinyl coating	Cost effective, long term installations such as home decor.	UV / LX / S	N	FSC mix	B1	M1	b s2 do	N	N

WALLDESIGN PASTE THE WALL	PART NUMBER	WEIGHT (g)	WIDTH (mm)	LENGTH (M)	PRODUCT TYPE	APPLICATION	PRINT TYPE*	PVC FREE	FSC	DIN 4102-1	NF P92-501	EN 13501-1	IMO MARINE	ANTI BACTERIAL
COALA WALLDESIGN NW UV/LX	82810	150	1372	50	Non woven base Uncoated	Easy to apply & to remove ideal for trade show & short term graphic.	UV / LX	Y	N	N	N	N	N	N
COALA WALLDESIGN NW S	82811	150	1372	50	Non woven base coated	Easy to apply & to remove ideal for trade show & short term graphic.	UV / LX / S	Y	N	N	N	N	N	N
COALA WALLDESIGN NW SAND	82863	350	1372	30	Non woven base with vinyl coating	Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 d0	Y	Y
COALA WALLDESIGN NW SMOOTH MATT	82867	350	1372	30	Non woven base with vinyl coating	Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 d0	Y	Y
COALA WALLDESIGN NW FINE SAND	82864	350	1372	30	Non woven base with vinyl coating	Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 d0	Y	Y
COALA WALLDESIGN NW CANVAS	TBA	350	1372	30	Non woven base with vinyl coating	Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 d0	Y	Y
COALA WALLDESIGN NW FINE CANVAS	TBA	350	1372	30	Non woven base with vinyl coating	Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 d0	Y	Y
COALA WALLDESIGN NW STUCCO	TBA	350	1372	30	Non woven base with vinyl coating	Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 d0	Y	Y
COALA WALLDESIGN NW PLASTER	TBA	350	1372	30	Non woven base with vinyl coating	Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 d0	Y	Y
COALA WALLDESIGN NW LEATHER	TBA	350	1372	30	Non woven base with vinyl coating	Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 d0	Y	Y
COALA WALLDESIGN NW BRUSH	TBA	350	1372	30	Non woven base with vinyl coating	Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	N	B1	M1	b S1 d0	Y	Y
COALA WALLDESIGN GLASS FIBER EMBOSSED	TBA	300	1000	30.5	Glass fibre	Reinforces, covers & supports structural renovation imperfections.	UV / LX / S	Y	TBD	TBD	TBD	TBD	TBD	TBD

GRAHAM & BROWN PASTE THE WALL	PART NUMBER	WEIGHT (g)	WIDTH (mm)	LENGTH (M)	PRODUCT TYPE	APPLICATION	PRINT TYPE*	PVC FREE	FSC	DIN 4102-1	NF P92-501	EN 13501-1	IMO MARINE	ANTI BACTERIAL
GRAHAM & BROWN NW DIGITAL BASE	48130	275	1060	50	Non woven base with vinyl coating	Heavyweight Easy to apply & remove. Ideal for Retail & Commercial use.	UV / LX / S	N	FSC Mix	TBD	TBD	c S1 d0	N	N
GRAHAM & BROWN NW AQUAMURA SMOOTH	48131	185	1060	50	Non woven base with vinyl coating	Easy to apply & remove. Ideal for retail & commercial use.	UV / LX / S	Y	FSC Mix	TBD	TBD	c S1 d0	N	N
GRAHAM & BROWN DIGITAL BASE ADHESIVE 5L	48234	5L			Pre-mixed PVA	Suitable for paper & non woven.								

Print type:  
UV = UV Curable  
LX = Latex  
S = Eco Solvent / Solvent

DIN 4102-1 German Fire test to building Classification  
NF P92-501 French Fire test to building Classification  
EN 13501-1 European Fire test to building Classification  
IMO Marine Fire Certification