

PRINT

Anglia
Tel: 0370 607 3103
Fax: 0370 607 3158
email: anglia@antalis.co.uk

Midlands
Tel: 0370 607 3106
Fax: 0370 607 3160
email: midlands@antalis.co.uk

North West
Tel: 0370 607 3112
Fax: 0370 607 3166
email: northwest@antalis.co.uk

Northern Ireland
Tel: 02890 847 700
Fax: 02890 847 716
email: northernireland@antalis.co.uk

Scotland
Tel: 0370 607 3108
Fax: 0370 607 3162
email: scotland@antalis.co.uk

South East
Tel: 0370 607 3143
Fax: 0370 607 3154
email: southeast@antalis.co.uk

South West
Tel: 0370 607 3110
Fax: 0370 607 3164
email: southwest@antalis.co.uk

West
Tel: 0370 607 3102
Fax: 0370 607 3157
email: west@antalis.co.uk

Yorkshire
Tel: 0370 607 3107
Fax: 0370 607 3161
email: yorkshire@antalis.co.uk

REPUBLIC OF IRELAND

Tel: 01 876 3188
Fax: 01 856 7111
email: dublin@antalis.ie

OFFICE

North
Tel: 0370 607 3136
Fax: 0370 607 3178
email: office.n@antalis.co.uk

Midlands
Tel: 0370 607 3136
Fax: 0370 607 3178
email: office.m@antalis.co.uk

South East
Tel: 0370 607 3132
Fax: 0370 607 3171
email: office.se@antalis.co.uk

South West
Tel: 0370 607 3132
Fax: 0370 607 3171
email: office.sw@antalis.co.uk

Key Accounts
Tel: 01530 517 200
email: keyaccounts@antalis.co.uk

PACKAGING

Tel: 0370 241 1462
email: pkteam@antalis.co.uk

SIGN & DISPLAY

Tel: 01925 868 650
Fax: 01925 868 670
email: signanddisplay@antalis.co.uk

CUSTOMER SOLUTIONS

London
Tel: 0203 117 1600
Fax: 0203 117 1601
email: customer_solutions@antalis.co.uk

PAPER DESK

Tel: 0870 600 4400
email: paperdesk@antalis.co.uk

Printed on Satimat 250gsm



The mark of responsible forestry
We market certified products.



June 2015

Antalis Limited
Interlink Way West,
Coalville, Leicestershire
LE67 1LE
Tel: 0370 607 9014
Fax: 01530 505 058
email: contact@antalis.co.uk
antalis.co.uk

antalis ^{EM}
Just ask Antalis

ORAFOL SELF-ADHESIVE FILMS

EASY REFERENCE GUIDE



antalis ^{EM}
Just ask Antalis

ORAFOL SELF-ADHESIVE FILMS EASY REFERENCE GUIDE

SUPERIOR SELF-ADHESIVE FILMS FOR PLOTTING AND PRINTING. ORAFOL SELF-ADHESIVE FILMS ARE SUITABLE FOR INDOOR AND OUTDOOR APPLICATIONS, VEHICLE WRAP, GLASS COVER AND ILLUMINATED INSTALLATIONS IN A WIDE SELECTION OF COLOURS AND FINISHES.

ORACLE PLOTTER VINYL



Vehicle Graphics

A comprehensive range of films for car wrapping and graphics for advertising, brand enhancement, personal expression or simply protection of car varnishes. Applications include buses, trains, motorbikes, boats and planes.



Illuminated Signs

Translucent and transparent films in a range of colours for designs on backlit signage.



Information Signage

A range of reflective, fluorescent and photo luminescent films for traffic control, guidance, information signs and emergency service graphics.



Plotter Signage

Films for short and medium term markings, letterings and decorations in a range of colours and finishes.



Window Graphics

PVC films for decorative design of windows and glass. Ideal for retail and public spaces.



Special Effects

Decorative films for lettering, marking and decoration of vehicles, windows and signs.

DIGITAL VINYL & LAMINATES



Standard Digital Vinyl

For brilliant and colourful advertising for short and medium-term outdoor use on flat surfaces.



Polymeric and Special Vinyl

For long-term outdoor displays with the highest degree of brilliancy and durability e.g. vehicle lettering on flat and 2-dimensional surfaces.



Cast Vinyl

For long-term outdoor graphic applications, markings and decorations with the highest degree of brilliancy and durability. The film is particularly suitable for complete car wrapping applications highly conformable into 3-dimensional surfaces.



Specialist Application

Printable vinyls designed for specialist requirements such as difficult to apply surfaces and challenging environmental conditions.

SCREEN & TAPE



Screen Vinyl

Screen print PVC films in a variety of colours, finishes and adhesive bonds. For short and medium-term indoor and outdoor applications such as markings, inscriptions and decorations.



Application Tape

Translucent adhesive papers and films designed for the transfer of die or computer plotter lettering in a variety of adhesive tacks.



Download the CP Clicker app and scan the page to explore further

ORACAL PLOTTER VINYL

VEHICLE GRAPHICS	TYPE	MIC	FINISH	LIFESPAN UP TO (YEARS)	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY
ORACAL 975	Structured Multi Layered Cast	150	Structured	5	Solvent Repositionable	3-D effect finishes for vehicles – the ideal tuning film	Y	Y	Y	Y	N	Y	N
ORACAL 970/RA	Premium Wrapping Multi Layered Cast	110	Gloss/Matt	6	Solvent Repositionable	Multi-layered cast PVC film for full vehicle wrapping	Y	Y	Y	Y	Y	Y	N
ORACAL 951	Premium Cast	50	Gloss	10	Solvent Permanent	Vehicle and public transport advertising also in corrugations and on rivets	Y	N	Y	Y	Y	Y	Y
ORACAL 751C*	Performance Cast	60	Gloss/Matt	8	Solvent Permanent	Vehicle and public transport advertising also in corrugations and on rivets	Y	N	Y	Y	Y	Y	Y
ORACAL 551	Performance Cal Polymeric	65	Gloss/Matt	8	Solvent Permanent	Vehicle and public transport advertising	Y	N	Y	Y	N	Y	N

PLOTTER SIGNAGE	TYPE	MIC	FINISH	LIFESPAN UP TO (YEARS)	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY
ORACAL 651*	Intermediate Cal Special PVC	70	Gloss/Matt	5	Solvent Permanent	Short and medium-term markings, letterings and decorations	Y	N	Y	Y	N	Y	Y
ORACAL 641*	Economy Cal Special PVC	75	Gloss/Matt	4	Polyacrylate Permanent	Short and medium-term markings, letterings and decorations	Y	N	Y	N	N	Y	Y
ORACAL 631	Exhibition Cal Monomeric PVC	80	Matt	3 (indoor)	Polyacrylate Removable	Indoor decorations of exhibition stands and materials	N	Y	Y	N	N	Y	N
ORACAL 621	Economy Cal Monomeric PVC	75	Gloss	3	Polyacrylate Removable	Short and medium-term markings, letterings and decorations	N	Y	Y	N	N	Y	Y
ORACAL 638	Wall Art Monomeric PVC	80	Matt	2	Polyacrylate Easy Removable	Indoor applications such as markings, inscriptions and decorations	N	Y	Y	N	N	Y	N
ORACAL 451	Banner Cal Monomeric PVC	80	Satin	3	Solvent Permanent	Lettering and decorations on tarpaulins & PVC	Y	N	Y	N	N	Y	Y

ILLUMINATED SIGNS	TYPE	MIC	FINISH	LIFESPAN UP TO (YEARS)	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY
ORACAL 8800	Translucent Cast	50	Satin	10	Solvent Permanent	High quality light boxes, internally illuminated signs, and backlits	Y	N	Y	N	N	Y	Y
ORACAL 8500	Translucent Cal Polymeric	80	Satin	7	Solvent Permanent	High quality light boxes, internally illuminated signs, and backlits	Y	N	Y	N	N	Y	Y
ORACAL 8300	Transparent Monomeric	80	Gloss	5	Solvent Permanent	High quality internally illuminated designs on backlit glass surfaces	Y	N	Y	N	N	Y	Y

WINDOW GRAPHICS	TYPE	MIC	FINISH	LIFESPAN UP TO (YEARS)	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY
ORACAL 8810*	Frosted Glass Cast	80	Matt (Hoar Frost)	7	Solvent Permanent	Glass decoration of shop windows and glass doors – sandblasted effect	Y	N	Y	N	N	Y	Y
ORACAL 8510/RA*	Etched Glass Cal Polymeric	80	Etched	7	Solvent Permanent	Decorative design of shop windows and glass doors in gold & silver	Y	N	Y	N	N	Y	Y
ORACAL 8710*	Dusted Glass Polymeric 7yr (70mic)	70	Dusted	7	Solvent Permanent	Decorative designs of glass: shop windows/room dividers/glass doors	Y	N	Y	N	N	Y	Y

INFORMATION SIGNAGE	TYPE	MIC	FINISH	LIFESPAN UP TO (YEARS)	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY
ORALITE 5900	Reflective Prismatic Acrylic	230	Reflective	10	Solvent Permanent	Traffic control, guidance and information signs	Y	N	Y	N	N	Y	N
ORALITE 5800	Reflective Acrylic	210	Reflective	10	Solvent Permanent	Traffic control, guidance and information signs	Y	N	Y	N	N	Y	N
ORALITE 5700	Reflective Alkyd Resin	130	Reflective	7	Solvent Permanent	Traffic control, guidance and information signs	Y	N	Y	N	N	Y	N
ORALITE 5600/E	Reflective Cast	120	Reflective	7	Solvent Permanent	Fleet Grade for long-term outdoor applications	Y	N	Y	N	N	Y	N
ORALITE 5500	Reflective Alkyd Resin	110	Reflective	7	Solvent Permanent	Engineer Grade for reflective warning and information signs	Y	N	Y	N	N	Y	N
ORALITE 5400*	Reflective Cast	90	Reflective	4	Solvent Permanent	Reflective direction, information and advertising signs	Y	N	Y	N	N	Y	N
ORALITE 5300	Reflective Alkyd Resin	95	Reflective	3	Solvent Permanent	Traffic control and information signs. Minimum degree of reflection	Y	N	Y	N	N	Y	N
ORALITE 5200	Reflective Cast	80	Reflective	3	Solvent Permanent	Information signs and reflective advertisements	Y	N	Y	N	N	Y	N
ORALUX 9300	Photoluminescent Special Vinyl	150	Satin	5	Solvent Permanent	To mark indoor escape routes and danger spots (glows yellow in the dark)	Y	N	Y	N	N	Y	N
ORACAL 7510	Fluorescent Cast Vinyl	150	Gloss	2	Solvent Permanent	Intense fluorescence in daylight exposure makes it ideal for advertising	Y	N	Y	N	N	Y	N
ORACAL 6510	Fluorescent Cast Vinyl	110	Gloss	1	Solvent Permanent	Intense fluorescence in daylight exposure makes it ideal for advertising	Y	N	Y	N	N	Y	N

SPECIAL EFFECT	TYPE	MIC	FINISH	LIFESPAN UP TO (YEARS)	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY
ORACAL 383	Metallised Cast Alkyd Resin	85	Gloss	5	Solvent Permanent	Ultraleaf decorative 3-D effect chrome & gold can be used on vehicles	Y	N	Y	Y	N	Y	Y
ORACAL 351/2	Metallised Polyester Film	23	Gloss	2	Solvent Permanent	Double sided metallic for transparent surfaces	Y	N	Y	Y	N	Y	Y

*Fully stocked range

DIGITAL VINYL & LAMINATES

STANDARD DIGITAL VINYL	TYPE	MIC	FINISH	LIFESPAN (YEARS) UP TO**	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY*	MATCHING LAMINATE
ORAJET 3162 (3162X GREY ADHESIVE)	Soft PVC	100	Gloss/Matt	4	Polyacrylate Removable	Short and medium-term applications	N	Y	Y	N	N	Y	N	200/210
ORAJET 3162XRA (RAPID AIR)	Soft PVC	100	Gloss/Matt	4	Polyacrylate Removable Grey Back	Easy apply. Short and medium-term applications	N	Y	Y	N	N	Y	N	200/210
ORAJET 3164 (3164X GREY ADHESIVE)	Soft PVC	100	Gloss/Matt	4	Polyacrylate Permanent	Short and medium-term applications	Y	N	Y	N	N	Y	N	200/210
ORAJET 3164XRA (RAPID AIR)	Soft PVC	100	Gloss/Matt	4	Polyacrylate Permanent Grey Back	Easy apply. Short and medium-term applications	Y	N	Y	N	N	Y	N	200/210

POLYMERIC & SPECIAL VINYL	TYPE	MIC	FINISH	LIFESPAN (YEARS) UP TO**	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY*	MATCHING LAMINATE
ORAJET 3651	Special PVC	70	Gloss/Matt	5	Solvent Permanent Grey Back	Medium-term applications	Y	N	Y	Y	N	Y	Y	210/215
ORAJET 3691	Special PVC	70	Gloss/Matt	5	Solvent Removable Grey Back	Medium-term applications	N	Y	Y	Y	N	Y	Y	210/215
ORAJET 3551	Polymeric PVC	70	Gloss/Matt	7	Solvent Permanent Grey Back	Long-term applications e.g. vehicle livery	Y	N	Y	Y	N	Y	Y	215
ORAJET 3591	Polymeric PVC	70	Gloss/Matt	7	Solvent Removable Grey Back	Long-term applications e.g. vehicle livery	N	Y	Y	Y	N	Y	Y	215
ORAJET 3105HT (HIGH TACK)	Polymeric PVC	100	Gloss	5	Solvent Permanent High Tack Grey Back	Long-term applications on "hard-to-stick" surfaces	Y	N	Y	Y	N	Y	Y	215

CAST VINYL	TYPE	MIC	FINISH	LIFESPAN (YEARS) UP TO**	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY*	MATCHING LAMINATE
ORAJET 3951	Cast PVC	55	Gloss	10	Solvent Repositionable Permanent	Extreme durability in corrugations and on rivets	Y	N	Y	Y	Y	Y	Y	290/293
ORAJET 3951RA (RAPID AIR)	Cast PVC	55	Gloss	10	Solvent Repositionable Permanent	Easy apply. Extreme durability in corrugations and on rivets	Y	N	Y	Y	Y	Y	Y	290/293
ORAJET 3951HT (HIGH TACK)	Cast PVC	55	Gloss	7	Solvent Permanent High Tack Grey Back	High Tack. Extreme durability and dimensional stability	Y	N	Y	Y	Y	Y	Y	290/293

SPECIALIST APPLICATION	TYPE	MIC	FINISH	LIFESPAN (YEARS) UP TO**	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY*	MATCHING LAMINATE
ORAJET 3161DT	Soft PVC	100	Gloss/Matt	4	Solvent Permanent	Good processing properties at low temperature	Y	N	Y	N	N	Y	Y	200/210
ORAJET 3268 WALL ART	Soft PVC	150	Matt	2	Polyacrylate Removable	Indoor decoration on walls	N	Y	Y	N	N	Y	N	200 / 210
ORAJET 3262 (THICK VINYL)	Soft PVC	200	Gloss	4	Polyacrylate Removable	Especially stable material for medium-term applications	N	Y	Y	N	N	Y	N	200/210
ORAJET 3264 (THICK VINYL)	Soft PVC	200	Gloss	4	Polyacrylate Permanent	Especially stable material for medium-term applications	Y	N	Y	N	N	Y	N	200/210
ORAJET 3675 (PERFORATED WINDOW)	Perforated PVC	140	Gloss	3	Solvent Permanent	Window Perforated one way vision 50/50	Y	N	Y	Y	N	Y	Y	297GF
ORAJET 3174PP (POLYPROPYLENE)	Polypropylene	100	Gloss/Matt	2	Polyacrylate Permanent	Recyclable. Indoor and short-term outdoor use	Y	N	Y	N	N	Y	N	236
ORAJET 3850 (TRANSLUCENT)	Polymeric Translucent	80	Satin	7	Solvent Permanent	Long-term applications especially luminous advertisements	Y	N	Y	Y	N	Y	Y	215
ORAJET 3954 (BRICK STONE)	Cast PVC	55	Gloss	1	Solvent Permanent High Tack Grey Back	Adheres and conforms to rough surfaces including brick and stone	Y	N	Y	Y	Y	Y	Y	290/293
ORAJET 3981 RA (ECO DIGITAL)	Cast PVC free	50	Gloss	10	Solvent Repositionable Permanent Grey Back	Easy apply. Vehicle wraps without the need to post heat	N	Y	Y	Y	Y	Y	Y	289F
ORAJET 3352F (OPTICALLY CLEAR)	Polyester	70	Gloss	1	Solvent Removable	Ultra clear window graphics	N	Y	Y	N	N	Y	Y	-

*Wet Apply above 18°C **Lifespan (unprinted)

SCREEN & TAPE

SCREEN VINYL	TYPE	MIC	FINISH	LIFESPAN UP TO (YEARS)	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY
ORACAL 620 (SHEETS)	Soft PVC	80	Gloss/Matt	3	Polyacrylate Removable	Short and medium-term outdoor applications	N	Y	Y	N	N	Y	N
ORACAL 640 (SHEETS)	Soft PVC	80	Gloss/Matt	3	Polyacrylate Permanent	Short and medium-term outdoor applications	Y	N	Y	N	N	Y	N
ORACAL 1620 (SHEETS & REELS)	Soft PVC	100	Gloss/Matt	3	Polyacrylate Permanent	Short and medium-term outdoor applications	Y	N	Y	N	N	Y	N
ORACAL 1640 (SHEETS & REELS)	Soft PVC	100	Gloss/Matt	3	Polyacrylate Permanent Grey	Short and medium-term outdoor applications	Y	N	Y	N	N	Y	N
ORACAL 1610 (SHEETS & REELS)	Soft PVC	100	Gloss/Matt	3	Polyacrylate Permanent Grey	Short and medium-term outdoor applications	Y	N	Y	N	N	Y	N
ORACAL 1680HT	Soft PVC	100	Gloss/Matt	3	Solvent Rubber High Tack	Good adhesion to materials with low surface tension such as PE and PP	Y	N	Y	N	N	Y	N
ORACAL 2640	Soft PVC	200	Gloss/Matt	3	Polyacrylate Permanent	Short and medium-term outdoor applications	Y	N	Y	N	N	Y	N

APPLICATION TAPE	TYPE	MIC	FINISH	LIFESPAN UP TO (YEARS)	ADHESIVE	APPLICATION	PERMANENT	REMOVABLE	FLAT PANEL	2D	3D	DRY APPLY	WET APPLY
HT95 (High Tack)	Polyethylene	155	Transparent	n/a	Polyacrylate High Tack Removable	Transfer of die-cut or computer-cut letters and symbols	N	Y	Y	Y	N	Y	Y
MT95 (Medium Tack)	Polyethylene	155	Transparent	n/a	Polyacrylate Removable	Transfer of die-cut or computer-cut letters and symbols	N	Y	Y	Y	N	Y	Y
LT95 (Low Tack)	Polyethylene	150	Transparent	n/a	Polyacrylate Low Tack Removable	Especially appropriate for the application of plotted films to inner walls	N	Y	Y	Y	N	Y	Y
MT72 (Medium Tack)	Paper	110	Semi Transparent	n/a	Rubber Adhesive Removable	Transfer of die-cut or computer-cut letters and symbols	N	Y	Y	Y	N	Y	Y
LT72 (Low Tack)	Paper	110	Semi Transparent	n/a	Rubber Adhesive Low Tack Removable	Especially for the transfer of ORALITE® Reflective Films	N	Y	Y	Y	N	Y	Y
MT52 (Medium Tack)	Paper	95	Semi Transparent	n/a	Rubber Adhesive Removable	Transfer of die-cut or computer-cut letters and symbols	N	Y	Y	Y	N	Y	N
LT52 (Low Tack)	Paper	95	Semi Transparent	n/a	Rubber Adhesive Low Tack Removable	Transfer of die-cut or computer-cut letters and symbols	N	Y	Y	Y	N	Y	N